

REMOTE ACTIVATION OF AN IMPLANTABLE DEVICE

Syed F. A. Hossainy

5 BACKGROUND OF THE INVENTION

Field of the Invention

This invention relates generally to implantable devices, such as expandable intraluminal prosthesis. More particularly, this invention relates to a stent that delivers a therapeutic substance. Moreover, the present invention relates to a

10 method of delivering a therapeutic substance with a stent.

Description of the Background

A variety of surgical procedures and medical devices are currently used to relieve intraluminal constrictions caused by disease or tissue trauma. An example of one such procedure is percutaneous transluminal coronary angioplasty (PTCA).

15 PTCA is a catheter-based technique whereby a balloon catheter is inserted into a blocked or narrowed coronary lumen of the patient. Once the balloon is positioned at the blocked lumen or target site, the balloon is inflated causing the remodeling of the lumen. The catheter is then removed from the target site thereby allowing blood to freely flow through the lumen.

20 Although PTCA and related procedures aid in alleviating intraluminal constrictions, such constrictions or blockages reoccur in many cases. The cause of these recurring obstructions, termed restenosis, is due to the body's immune system responding to the trauma of the surgical procedure. As a result, the PTCA procedure may need to be repeated to repair the damaged lumen.

Stents or drug therapies, either alone or in combination with the PTCA procedure, are often used to avoid or mitigate the effects of restenosis at the surgical site. In general, stents are small, cylindrical devices whose structure serves to create or maintain an unobstructed opening within a lumen. The stents are typically made of, for example, stainless steel, Nitinol or other materials and are delivered to the target site via a balloon catheter. Although stents are effective in opening the stenotic lumen, the foreign material and structure of the stents themselves may exacerbate the occurrence of restenosis or thrombosis.

Drugs or therapeutic agents that limit migration and/or proliferation of vascular smooth muscle cells are used to significantly reduce the incidence of restenosis and thrombosis. Examples of various therapeutic agents commonly used include heparin, antithrombogenic agents, steroids, ibuprofen, antimicrobials, antibiotics, antiproliferatives, tissue plasma activator inhibitors, monoclonal antibodies, antiinflammatory substances, and antifibrosis agents.

Should the therapeutic agents be applied systemically to the patient, they are absorbed not only by the tissues at the target site, but by all areas of the body. As such, one drawback associated with the systemic application of drugs is that areas of the body not needing treatment are also affected. To provide a more site-specific treatment, stents are frequently used as a means of delivering the drugs exclusively to the target site. The drugs are included or incorporated in a tissue-compatible polymer, such as a silicone, polyurethane, polyester, hydrogel, hyaluronate, and various copolymers and blended mixtures thereof. By positioning the stent at the target site, the drugs can be applied directly to the area of the lumen requiring therapy.

The above-described device, for treatment of restenosis and thrombosis, offers many advantages to potential patients. However, such devices may be deficient in their current drug-delivery capabilities. In particular, restenosis does not necessarily develop at a constant rate. The polymer-coated device may have

5 limited effectiveness because the therapeutic agents are released by passive diffusion, and therefore do not have a release pattern that corresponds to the pathological cascade of restenosis.

In view of the above, it is apparent that there is a need to provide a drug delivery device which can control the release of the therapeutic agents so that

10 conditions such as restenosis, that develop at a variable rate, can be more effectively treated.

SUMMARY OF THE INVENTION

Herein is described an implantable device, such as a stent, for delivering a therapeutic substance comprising a first material carried by the stent containing a

15 therapeutic substance, and a second material carried by the stent to convert a first type of energy received by the second material from an energy source positioned external to the body vessel to a second type of energy, wherein the second type of energy promotes release of the therapeutic substance from the first material.

In an embodiment of the present invention, the second material can be, for

20 example, Au, an Au-alloy, or ferrimagnetic glass-ceramic. In one variation, the second material can be Au particles with average diameters of, for example, from about 100-350 nm. In one embodiment, the second material can be capable of converting electromagnetic waves into thermal energy.

In one embodiment of the present invention, the first material is a temperature-sensitive hydrogel. The temperature-sensitive hydrogel can be N-isopropylacrylamide, polyoxyethylene-polyoxypropylene block copolymers, poly(acrylic acid) grafted pluronic copolymers, chitosan grafted pluronic
5 copolymer, elastin mimetic polypeptides, and combinations and mixtures thereof.

Herein is also disclosed a method of delivering a therapeutic substance from a stent comprising inserting into a body vessel a stent comprising a first material containing a therapeutic substance and a second material capable of converting a first type of energy to a second type of energy, and applying to the
10 second material a first type of energy from an energy source external to the body vessel wherein the second material converts the first type of energy to the second type of energy and the second type of energy promotes the release of the therapeutic substance from the first material.

Herein is also disclosed a stent for delivering thermal energy to a body
15 vessel comprising a tubular body for implanting in a body vessel, and an energy converter carried by the tubular body to convert a first type of energy into thermal energy, wherein the energy converter is positioned to release the thermal energy to tissues adjacent to the tubular body and is responsive to an energy source remote from and not in direct physical contact with the energy converter.

20 Herein is also described a system for delivering a therapeutic substance comprising a device for implanting in the body, a reservoir carried by the device containing a therapeutic substance, an energy converter carried by the device to

convert a first type of energy to a second type of energy to release the therapeutic substance from the reservoir, and an energy emitter for emitting the first type of energy to the energy converter.

BRIEF DESCRIPTION OF THE FIGURES

5 Figure 1 is a side-view of a conventional stent in accordance with an embodiment of the present invention;

 Figure 2 is a diagram of an embodiment of the remote delivery system including a stent inserted into a body vessel;

 Figure 3 illustrates an enlarged view of a portion of a stent;

10 Figure 4 illustrates a partial cross-section of a strut along the line 4-4 of Figure 3;

 Figure 5 illustrates the partial cross-section of the strut in accordance with one embodiment of the invention;

15 Figure 6 illustrates the partial cross-section of the strut in accordance with another embodiment of the invention;

 Figure 7 illustrates the partial cross-section of the strut in accordance with another embodiment of the invention;

 Figure 8 illustrates the partial cross-section of the strut in accordance with another embodiment of the invention; and

20 Figure 9 graphically illustrates absorbance spectra of Au particles.

DETAILED DESCRIPTION

 Figure 1 illustrates an implantable prosthetic medical device. In the spirit of convenience and brevity, the medical device referenced in the text and figures of

the present invention is a stent 10. However, it should be noted that other medical devices or prosthesis are also within the scope of the claimed invention. Suitable examples of other devices can include grafts (e.g., aortic grafts), stent-grafts, artificial heart valves, cerebrospinal fluid shunts, pacemaker electrodes, axius
5 coronary shunts, and endocardial leads (e.g., FINELINE® and ENDOTAK®, available from Guidant Corporation).

As shown in Figures 1 and 2, stent 10 can have a tubular body structure 12, including a first end 14, a second end 16, and a mid-section 18. The structure of stent 10 should allow stent 10 to be inserted into and physically uphold an
10 anatomical passageway by exerting a radially outward-extending force against the walls or inner lumen surface of the passageway. If desired, stent 10 can also expand the opening of the lumen to a diameter greater than its original diameter and, thereby, increase fluid flow through the lumen.

Stent 10 can include struts 22 that form a network structure. Struts 22 are
15 radially expandable and interconnected by connecting elements 24 that are disposed between adjacent struts 22. Both struts 22 and connecting elements 24 have an outer (or lumen contacting) surface 26 and an inner surface 28, as shown in Figure 2. In addition, a hollow bore 20 extends longitudinally through body structure 12 of stent 10.

Referring to Figure 3, one or more depots (e.g., microdepots) or pores 30
20 can be formed on the surface of struts 22 and/or connecting elements 24. These depots 30 can act as reservoirs for various substances. In one embodiment of the present invention, as shown in Figure 4, depots 30 that are formed on outer surface 26 carry an energy conversion material 32. Energy conversion material 32 can be

any material that is capable of receiving a stimuli and converting such a stimuli to a form of energy. In one embodiment, for example, energy conversion material 32 is able to convert a first type of energy (e.g., electromagnetic, thermal, chemical) into a second type of energy (e.g., electromagnetic, thermal, chemical).

5 In one embodiment, gold (Au), in the form of particles, can be used as energy conversion material 32. The Au particles can be contained in depots 30 by various means, including but not limited to, by polymeric adhesives, or by sintering the Au particles in depots 30.

10 If the Au particles are exposed to electromagnetic waves, for example, the Au particles can convert the electromagnetic energy into thermal energy. The Au particles can have, for example, an average diameter from about 100-350 nm. The Au particles can have a silica nanoparticle core (e.g., 100-250 nm diameter) encapsulated by a thin (e.g., 1-100 nm) gold shell. By changing the relative thickness of the particle's core and shell, one can choose the peak absorbance to
15 anywhere from about 600 nm to about 1400 nm. Au particles of this type can be capable of converting non-cytotoxic electromagnetic waves with wavelengths between 800 nm and 1200 nm into thermal energy. With the use of non-cytotoxic electromagnetic waves as the first energy type, the body tissues surrounding the body vessel do not readily absorb or refract the waves.

20 Since the Au particles are carried by depots 30 which are disposed on outer surface 26 as shown in Figure 4, if inserted into a blood vessel, the stent can deliver heat to the tissues surrounding the blood vessel and cause heat shock protein generation. As a result, it is believed that restenosis in the blood vessel can be reduced.

One of ordinary skill in the art will understand that energy conversion materials 32 besides Au particles are within the scope of the invention. For instance, ferrimagnetic glass-ceramics can be used as energy conversion material 32. These ferrimagnetic glass-ceramics can convert magnetic field energy to thermal energy. A representative of this type of material is the ferrimagnetic glass-ceramics containing lithium ferrite and hematite crystallites in the system $\text{Al}_2\text{O}_3\text{-SiO}_2\text{-P}_2\text{O}_5$. Also, one of ordinary skill in the art will understand that various parameters can be altered in order to control the thermal output of energy conversion material 32 such as core-shell ratio, the wavelength applied to the energy conversion material 32, the intensity of the radiation and the use of an insulating material.

As shown in Figure 5, a carrier material 34 can coat at least a portion of outer surface 26 for release of a therapeutic substance in response to the stimuli. In one embodiment, carrier material 34 can be a temperature-sensitive hydrogel. “Hydrogel” is intended to include a cross-linked polymer, via covalent, ionic, or hydrogen bonding, to form a three-dimensional open lattice structure which is capable of entrapping water molecules to form a gel.

In another embodiment, as shown in Figure 6, the hydrogel can be in the form of particles, microparticles, spheres, or ovoids. Particles, microparticles, spheres, or ovoids of the hydrogel can be formed by, for example, extrusion with a non-miscible substance such as oil, e.g., mineral oil or by agitation of the aqueous phase in contact with a non-miscible phase such as an oil phase to form small droplets. The macromer is then polymerized such as by exposure to light

irradiation or to heat. Inclusion of a therapeutic substance mixed with the aqueous macromer solution results in the encapsulation of the therapeutic substance in the hydrogel. Energy conversion material 32 (e.g., Au particles) may also be encapsulated in the small droplets of the hydrogel.

5 For purposes of this invention, “temperature-sensitive hydrogel” means a hydrogel whose matrix constricts or collapses by exposing the hydrogel to a temperature greater than the hydrogel’s lower critical solution temperature (LCST). The LCST (i.e., the temperature at which constriction occurs), should be above 37°C (i.e., average human body temperature). One suitable example of a

10 temperature-sensitive hydrogel is N-isopropylacrylamide (NIPAAm). One of ordinary skill in the art can also appreciate the implementation of other hydrogels in the polymeric coating of the present invention. Representative examples include polyoxyethylene-polyoxypropylene block copolymers (e.g., PLURONIC®, BASF Corporation, Parsippany, NJ) such as those described in U.S. Patent No. 4,188,373;

15 poly(acrylic acid) or chitosan (a deacylated derivative of chitin) grafted pluronic copolymers, in which the grafted poly(acrylic acid) or chitosan improve the bio-adhesive properties of the hydrogel; and combinations and mixtures thereof, as well as elastin mimetic polypeptides, which are protein polymers based on the pentameric repeat $-\text{[(Val/Ile)-Pro-Gly-Xaa-Gly]}_5-$, where Xaa is an amino acid

20 and is Val in the first four repeat units and Ile or Lys for the last repeat. With Xaa of Ile in the last repeat unit and a pH of 7, the elastin-mimetic polypeptide has a transition temperature of approximately 37°C.

Referring to Figure 2, energy conversion material 32 (e.g., Au particles) (not shown) can receive at least a portion of electromagnetic waves 42 emitted by an energy emitter 40 that is positioned external to body vessel 46 or completely external to the body of the patient. The Au particles are able to absorb

5 electromagnetic waves 42 and convert the electromagnetic energy into thermal energy which is released into the environment adjacent to the Au particles. Should stent 10 be coated with a hydrogel containing a therapeutic substance, the thermal energy or stimuli can be used to promote the release of the therapeutic substance. For example, once the temperature surrounding the hydrogel exceeds the

10 hydrogel's transition temperature, the hydrogel contracts. As the hydrogel contracts, it elutes the therapeutic substance by "squeezing" the substance out of the hydrogel's matrix. As shown in Figure 2, therapeutic substance 36 is thereby locally delivered to body vessel 46. In order to reduce the amount of therapeutic substance 36 eluted into the aqueous environment before remote activation, it

15 would be useful to pair an anionic hydrogel with a cationic therapeutic substance.

The therapeutic substance can be for inhibiting the activity of vascular smooth muscle cells. More specifically, the active agent can be aimed at inhibiting abnormal or inappropriate migration and/or proliferation of smooth muscle cells for the inhibition of restenosis. The active agent can also include any substance

20 capable of exerting a therapeutic or prophylactic effect in the practice of the present invention. For example, the therapeutic substance can be for enhancing wound healing in a vascular site or improving the structural and elastic properties of the vascular site. Examples of substances include antiproliferative substances such as actinomycin D, or derivatives and analogs thereof (manufactured by

Sigma-Aldrich 1001 West Saint Paul Avenue, Milwaukee, WI 53233; or COSMEGEN available from Merck). Synonyms of actinomycin D include dactinomycin, actinomycin IV, actinomycin I₁, actinomycin X₁, and actinomycin C₁. The active agent can also fall under the genus of antineoplastic, anti-

5 inflammatory, antiplatelet, anticoagulant, antifibrin, antithrombin, antimitotic, antibiotic, antiallergic and antioxidant substances. Examples of such antineoplastics and/or antimitotics include paclitaxel (e.g., TAXOL[®] by Bristol-Myers Squibb Co., Stamford, Conn.), docetaxel (e.g., Taxotere[®], from Aventis S.A., Frankfurt, Germany) methotrexate, azathioprine, vincristine, vinblastine,

10 fluorouracil, doxorubicin hydrochloride (e.g., Adriamycin[®] from Pharmacia & Upjohn, Peapack N.J.), and mitomycin (e.g., Mutamycin[®] from Bristol-Myers Squibb Co., Stamford, Conn.). Examples of such antiplatelets, anticoagulants, antifibrin, and antithrombins include sodium heparin, low molecular weight heparins, heparinoids, hirudin, argatroban, forskolin, vapiprost, prostacyclin and

15 prostacyclin analogues, dextran, D-phe-pro-arg-chloromethylketone (synthetic antithrombin), dipyridamole, glycoprotein IIb/IIIa platelet membrane receptor antagonist antibody, recombinant hirudin, and thrombin inhibitors such as Angiomax[®] (Biogen, Inc., Cambridge, Mass.). Examples of such cytostatic or antiproliferative agents include angiopeptin, angiotensin converting enzyme

20 inhibitors such as captopril (e.g., Capoten[®] and Capozide[®] from Bristol-Myers Squibb Co., Stamford, Conn.), cilazapril or lisinopril (e.g., Prinivil[®] and Prinzide[®] from Merck & Co., Inc., Whitehouse Station, NJ); calcium channel blockers (such as nifedipine), colchicine, fibroblast growth factor (FGF) antagonists, fish oil (omega 3-fatty acid), histamine antagonists, lovastatin (an inhibitor of HMG-CoA

reductase, a cholesterol lowering drug, brand name Mevacor® from Merck & Co., Inc., Whitehouse Station, NJ), monoclonal antibodies (such as those specific for Platelet-Derived Growth Factor (PDGF) receptors), nitroprusside, phosphodiesterase inhibitors, prostaglandin inhibitors, suramin, serotonin blockers, 5 steroids, thioprotease inhibitors, triazolopyrimidine (a PDGF antagonist), and nitric oxide. An example of an antiallergic agent is permirolast potassium. Other therapeutic substances or agents which may be appropriate include alpha-interferon, genetically engineered epithelial cells, rapamycin and dexamethasone. The foregoing substances are listed by way of example and are not meant to be 10 limiting. Other therapeutic substances which are currently available or that may be developed in the future are equally applicable.

Referring to Figure 6, in another embodiment, carrier material 34 (e.g., temperature-sensitive hydrogel), in the form of ovoids, encapsulates energy conversion material 32. Carrier material 34 further includes a therapeutic 15 substance. As shown in Figure 6, carrier material 34 is carried by depots 30, and is covered by a topcoat 50. In one embodiment, topcoat 50 is a hydrophilic polymer that inhibits the diffusion of the therapeutic substance from carrier material 34 until energy conversion material 32 is activated. A representative example of topcoat 50 is a blend of polyethylene glycol (PEG) and 20 bishydroxyethoxypropylpolydimethylsiloxane (PDMS).

Referring to Figure 7, in an alternative embodiment, carrier material 34, including energy conversion material 32 and a therapeutic substance, is suspended in topcoat 50. In one embodiment, topcoat 50 is a hydrophilic polymer that

inhibits the diffusion of the therapeutic substance from carrier material 34 until energy conversion material 32 is activated.

Referring to Figure 8, in a further embodiment, instead of being carried by depots 30, energy conversion material 32 (e.g., Au particles) can be attached
5 directly to outer surface 26 of stent 10 over which carrier material 34 (e.g., a hydrogel coating) is deposited. Energy conversion material 32 can be in the form of particles randomly disbursed or evenly distributed on outer surface 26. Alternatively, the density of energy conversion material 32 could be greater at each end 14 and 16 of stent 10 compared to mid-section 18 of stent 10. One of ordinary
10 skill in the art will understand that the location and configuration of energy conversion material 32, and its position relative to carrier material 34, may vary according to clinical purpose and usage requirements and the particular type of stent 10 used to carry the components.

Alternatively, two or more different types of energy conversion materials
15 can be used. For example, depots 30 at ends 14, 16 of stent 10 can carry Au particles, whereas depots 30 at mid-section 18 carry an Au-Cu alloy. By providing stent 10 with different types of energy conversion material 32, there can be a non-uniform response to energy emitted so that the delivery of the therapeutic substance can differ either spatially, or temporally. For example, in the case of Au
20 particles, particles with different core-shell ratios will have different peak absorbance profiles. Referring to Figure 9, the absorbance spectra for particles A and B show that particle A has a different peak absorbance than particle B. By matching particle A with a carrier material that carries a different therapeutic

substance than that matched with particle B, different therapeutic substances can be delivered at different wavelengths.

The present invention also includes a method of delivering a therapeutic substance from a stent in a body vessel. Again referring to Figure 2, in one embodiment, stent 10 is inserted into body vessel 46 and then electromagnetic waves 42 are applied by using energy emitter 40 that is positioned external to body vessel 46. Stent 10 may comprise Au particles and a temperature-sensitive hydrogel that encapsulates a therapeutic substance. The Au particles are able to absorb the electromagnetic waves 42 and convert the electromagnetic energy into thermal energy which is transferred to the temperature-sensitive hydrogel. In one embodiment, the Au particles have an average diameter from about 100-350 nm. In another embodiment, the electromagnetic waves can have a wavelength of between 800 and 1200 nm. Once the environmental temperature surrounding the hydrogel reaches the hydrogel's transition temperature, the hydrogel contracts. As the hydrogel contracts, the hydrogel elutes the therapeutic substance by "squeezing" the therapeutic substance out of the hydrogel's matrix. As shown in Figure 2, therapeutic substance 36 is locally delivered to body vessel 46.

Examples

The following prophetic examples are given by way of illustration.

20 Example 1

Stents are cleaned with isopropyl alcohol in combination with ultrasonication. Au particles are mixed with a macromer solution and become suspended at a concentration of 30% w/w. The macromer solution contains 15% diacrylate end-capped pluronic diacrylate, 2.5% ethylene glycol dimethacrylate

(EGDMA) (all monomer percentages are in molar), 0.5% benzoyl peroxide, 5% polyvinyl pyrrolidone (PVP) , 7% ReoPro® (Eli Lilly and Company, Indianapolis, Indiana), and 70 % H₂O. The Au suspension solution is applied as a coating to the surface of the stents with a wet weight of 1000 µg. The coating is heated at 65°C

5 for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. Then the macromer solution (without Au particles) is applied to the surface of the stents by dip-coating with a wet weight of 800 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction,

10 the coating is dried in a vacuum oven at 40°C for 12 hr. The coating is activated by directing a 900-1200 nm wavelength light in the infrared region of the electromagnetic spectrum to the coating.

Example 2

Stents are cleaned with isopropyl alcohol in combination with

15 ultrasonication. Au particles are mixed with a macromer solution and become suspended at a concentration of 30% w/w. The macromer solution contains 10% diacrylate end-capped pluronic diacrylate, 5% N-isopropyl alcohol, 2.5% EGDMA, 0.5% benzoyl peroxide, 5% PVP, 5% ReoPro®, 5% TAXOL , and 67 % H₂O.

The Au suspension solution is applied as a coating to the surface of the stents with

20 a wet weight of 1000 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. Then the macromer solution (without Au particles) is applied to the surface of the stents by dip-coating with a wet weight of 800 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking

reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. The coating is activated by directing a 900-1200 nm wavelength light in the infrared region of the electromagnetic spectrum to the coating.

5

Example 3

Stents are cleaned with isopropyl alcohol in combination with ultrasonication. Au particles are mixed with a macromer solution and become suspended at a concentration of 30% w/w. A 95:5 molar ratio of dimethyl aminoethylmethacrylate (DMAEMA) and acrylic acid (Aac) has an LCST of about 10 40°C. The macromer solution contains 10% DMAEMA, 0.5% AAc, 2.5% EGDMA, 0.5% benzoyl peroxide, 5% PVP, 5% ReoPro®, 5% R-7 conjugated heparin, and 71.5% H₂O. The Au suspension solution is applied as a coating to the surface of the stents with a wet weight of 1000 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking 15 reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. Then the macromer solution (without Au particles) is applied to the surface of the stents by dip-coating with a wet weight of 800 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. The coating is activated 20 by directing a 900-1200 nm wavelength light in the infrared region of the electromagnetic spectrum to the coating.

Example 4

Stents are cleaned with isopropyl alcohol in combination with ultrasonication. Au particles with different sizes are mixed with a macromer

solution and become suspended at a concentration of 30% w/w. The macromer solution contains 15% diacrylate end-capped temperature sensitive polymers with a LCST greater than 40°C, 2.5% EGDMA, 0.5% benzoyl peroxide, 5% PVP, 5% ReoPro®, 5% R-7 conjugated heparin, and 67% H₂O. The Au suspension solution is applied as a coating to the surface of the stents with a wet weight of 1000 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. Then the macromer solution (without Au particles) is applied to the surface of the stents by dip-coating with a wet weight of 800 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. The coating is activated by directing a 900-1200 nm wavelength light in the infrared region of the electromagnetic spectrum to the coating.

Example 5

Stents are cleaned with isopropyl alcohol in combination with ultrasonication. Au particles are mixed with a macromer solution and become suspended at a concentration of 30% w/w. A 93:7 molar ratio of DMAEMA and AAc has an LCST of about 42°C. The macromer solution contains 9.6 % DMAEMA, 0.9% AAc 2.5% EGDMA, 0.5% benzoyl peroxide, 5% PVP, 5% ReoPro®, 5% R-7 conjugated heparin, and 71.5% H₂O. The Au suspension solution is applied as a coating to the surface of the stents with a wet weight of 1000 µg. The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. Then the macromer solution (without Au particles) is

applied to the surface of the stents by dip-coating with a wet weight of 800 μg .

The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction.

Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr.

5

Example 6

Stents are cleaned with isopropyl alcohol in combination with ultrasonication. Au particles (232 nm diameter silica core and 12 nm Au shell thickness) are mixed with a macromer solution and become suspended at a concentration of 30% w/w. A 95:5 molar ratio of NIPAAm and Acryl amide (AAm) has an LCST of about 40°C. The macromer solution contains 9.5 % NIPAAm, 0.5% AAm, 2.5% EGDMA, 0.5% benzoyl peroxide, 5% PVP, 5% ReoPro®, 5% R-7 conjugated heparin, and 72% H₂O. The Au suspension solution is applied as a coating to the surface of the stents with a wet weight of 1000 μg . The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction.

10 Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr. Then the macromer solution (without Au particles) is applied to the surface of the stents by dip-coating with a wet weight of 800 μg . The coating is heated at 65°C for 4 minutes to induce a cross-linking reaction. Following the cross-linking reaction, the coating is dried in a vacuum oven at 40°C for 12 hr.

20 In another example an elastin-mimetic di-block copolyptide is cross-linked by the same method as above. The LCST can be adjusted to a range of about 40-43°C by adjusting the ratio of the hydrophobic and the hydrophilic block. An example of a hydrophobic block is [-Ile-Pro-Gly-Val-Gly-]. An example of a

hydrophilic block is [-Val-Pro-Gly-Glu-Gly-]). Examples of cross-linking constituents include disuccinimydil glutarate and disuccinimydil suberate.

While particular embodiments of the present invention have been shown
5 and described, it will be obvious to those skilled in the art that changes and
modifications can be made without departing from this invention in its broader
aspects and, therefore, the appended claims are to encompass within their scope all
such changes and modifications as fall within the true spirit and scope of this
invention.

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207